

Airport Information

[Loc](#) | [Ops](#) | [Com](#) | [Nav](#) | [Svcs](#) | [Rwys](#) | [Stats](#) | [Notes](#) | [Diag](#) | [IAPs](#)

FAA Information effective 10 April 2008

Location

FAA Identifier: BQN
Lat/Long: 18-29-41.5000N / 067-07-46.0000W
18-29.691667N / 067-07.766667W
18.4948611 / -67.1294444
(estimated)
Elevation: 237 ft. / 72.2 m (surveyed)
Variation: 10W (1985)
From city: 3 miles NE of AGUADILLA, PR
Time zone: UTC -4 (year round, does not observe DST)
Zip code: 00603

Airport Operations

Airport use: Open to the public
Sectional chart: [PUERTO RICO-VIRGIN ISLANDS](#)
Control tower: yes
ARTCC: SAN JUAN CENTER
FSS: SAN JUAN FLIGHT SERVICE STATION
NOTAMs facility: TJBQ (NOTAM-D service available)
Attendance: CONTINUOUS
Pattern altitude: 1,237 ft. MSL
Wind indicator: lighted
Segmented circle: yes
Lights: DUSK-DAWN
ACTVT REIL RY 08 - CTAF.
Beacon: white-green (lighted land airport)
Landing fee: yes, FEE FOR OTHER THAN HOME BASED ACFT.

Airport Communications

CTAF: 124.95
UNICOM: 123.0
AGUADILLA GROUND: 120.875 [0700-2100]
AGUADILLA TOWER: 124.95 [0700-2100]
CLEARANCE DELIVERY: 124.35 269.35
EMERG: 243.0
OPNS: 345.0

- APCH/DEP SVC PRVDD BY SAN JUAN CERAP ON FREQS 124.35/269.35 (BORIQUEN RCAG).
- OTHER UHF AND HF/USB FREQS AVBL ON REQUEST
- WHEN ATCT CLSD, CD PRVDD BY SAN JUAN CERAP ON FREQS 124.35/269.35.

Nearby radio navigation aid

BQN r271/1.2	BORINQUEN VORTAC	113.50	10W
MAZ r015/14.4	MAYAGUEZ VOR/DME	110.60	10W

Airport Services

Fuel available: 100LL, JET-A
Parking: hangars and tiedowns
Airframe service: MAJOR
Powerplant service: NONE
Bottled oxygen: NONE
Bulk oxygen: NONE

Runway Information

Runway 8/26

Dimensions:	11,702 x 200 ft. / 3,567 x 61 m	
Surface:	asphalt/concrete, in fair condition	
Weight bearing capacity:	Single wheel: 155,000 lbs	
	Double wheel: 235,000 lbs	
	Double tandem: 455,000 lbs	
Runway edge lights:	medium intensity	
	RUNWAY 8	RUNWAY 26
Latitude:	18-29.398968N	18-29.983123N
Longitude:	067-08.732407W	067-06.800768W
Elevation:	237.2 ft.	193.9 ft.
Gradient:	0.4%	0.4%
Traffic pattern:	left	left
Runway heading:	082 magnetic, 072 true	262 magnetic, 252 true
Displaced Threshold:	400 ft.	no
Markings:	TORA:11700 TODA:11700	TORA:11700 TODA:11700
	ASDA:11700 LDA:11311	ASDA:11700 LDA:11311
Markings:	nonprecision, in good condition	nonprecision, in good condition
Visual slope indicator:	4-light PAPI on left (3.00 degrees glide path)	4-light PAPI on left (3.00 degrees glide path)
Runway end identifier lights:	yes	
	REIL RY 08 OTS INDEFLY.	
Touchdown point:	yes, no lights	yes, no lights
Obstructions:	47 ft. trees, 1,800 ft. from runway, 400 ft. left of centerline, 34:1 slope to clear	52 ft. trees, 2,000 ft. from runway, 100 ft. left of centerline, 34:1 slope to clear

Airport Operational Statistics

Aircraft based on the field: 89	Aircraft operations: avg 183/day*
Single engine airplanes: 25	31% military
Multi engine airplanes: 27	24% transient general aviation
Jet airplanes: 8	23% commercial
Helicopters: 9	22% local general aviation
Military aircraft: 20	<1% air taxi

* for 12-month period ending 30 June 2008


Additional Remarks

- NO PARKING IN C AREA INDEFLY.

- US CUSTOMS: 787-882-3556; USDA: 787-882-3315; US IMM: 787-882-3576
- TWYS E, F & G CLSD TO ALL TRAFFIC INDEFLY EXCEPT PPR.
- OBSTN LGT ON TOWER NW OF ARPT OTS INDEFLY.
- ULTRALIGHT OPNS NOT ALLOWED.
- FOR CUSTOMS SVC CALL 787-831-3342.
- FOR IMMIGRATION SVC CALL 787-882-3576.
- FOR USDA SVC CALL 787-882-3315.

Airport Diagram

(Click to enlarge)



IAPs - Instrument Approach Procedures

- | | |
|-------------------|-----------------------------------|
| Take-Off Minimums | download (78 KB) |
| RNAV (GPS) RWY 08 | download (248 KB) |
| VOR/DME RWY 08 | download (204 KB) |
| VOR RWY 08 | download (225 KB) |

Legends

- | | |
|---------------------------------|------------------------------------|
| Legends and General Information | download (11.2 MB) |
| Airport Diagram Legend | download (111 KB) |

To view PDFs, you will need a copy of the free [Adobe Acrobat Reader](#).